

FSG Felt-Touch-Up Dye Pens

Intended Use

Transparent touch-up of worn surfaces and scratches on wooden or plastic surfaces

Characteristics

- Transparent touch-up
- Fast drying
- Spongable
- Varnishing
- Recommended for indoor use
- 60 wood colours on stock

Instructions for Use

- Draw fine lines on the surface
- After tincture is dry: Use Spray Lacquer, transparent to seal the surface

Technical Data and Shelf Life

Physical state:	liquid
Colour:	brown
Odour:	characteristic
Initial boiling point and boiling range:	80 – 118 °C
Flash point:	12 °C
Auto-ignition temperature:	360 °C (DIN 51794)
Water solubility:	Partially miscible

Safety Precautions

- Highly flammable liquid and vapour.
- Harmful if swallowed.
- Causes skin irritation.
- Causes serious eye damage.
- May cause drowsiness or dizziness.
- Toxic to aquatic life with long lasting effects.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- IF SWALLOWED: Call a POISON CENTER / doctor / ... / if you feel unwell.
- Call a POISON CENTER / doctor / ... if you feel unwell.
- If skin irritation occurs: Get medical advice / attention.
- Dispose of contents / container to a waste disposal company.

Extract from the legal texts. More details on the label and safety data sheet.

Disposal

- Waste code product: 08 01 11 * Waste paint and varnish containing organic solvents or other dangerous substances.
- Waste code packaging: 15 01 07 Glass packaging
- Consult the appropriate local waste disposal expert about waste disposal.
- The allocation of waste identity numbers / waste descriptions must be carried out according to the EEC, specific to the industry and process.
- For more information see safety data sheet or consult the appropriate local waste disposal expert.

Packaging

- Pen, single
- Pack of 5 pens
- Pack of 10 pens
- Pack of 10 spare tips

This information has been carefully checked, should not and cannot be legally binding and do not exempt you from own tests of the products supplied by us as to their suitability for the intended applications. Optionally, methods need to be adapted to the specific requirements in each case.