

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 1/10

FSG-Fine spatula rapid

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

FSG-Fine spatula rapid

Other means of identification:

Dispersionsspachtel

Article No.:

23-4-17

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Product Categories [PC]

PC 9b: Fillers, putties, plasters, modelling clay

* 1.3. Details of the supplier of the safety data sheet

distributor:

FSG Schäfer GmbH

Boschstraße 14

48703 Stadtlohn

GERMANY

Telephone: +49 (0) 25 63 - 93 95 - 0

Telefax: +49 (0) 25 63 - 93 95 - 25

E-mail: verkauf@fsg-schaefer.de

Website: www.fsg-schaefer.de

E-mail (competent person): sdb@fsg-schaefer.de

Only for information: National Poisons Information Service (Birmingham Unit): 844 892 0111

* 1.4. Emergency telephone number

24h: Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department., Office FSG: +49 (0) 2563 93950. (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information

EUH208	Contains Mixtures: 5-Chlor-2-methyl-2H-isothiazol-3-on [EG nr. 247-500-7] und 2-Methyl-2H-isothiazol-3-on [EG nr. 220-239-6] (3:1); 1,2-Benzisothiazol-3(2H)-on. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Precautionary statements: none

2.3. Other hazards

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 2/10

FSG-Fine spatula rapid

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

water-thinnable dispersion filler

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 1317-65-3 EC No.: 215-279-6	Limestone The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	
CAS No.: 26172-55-4 EC No.: 247-500-7	5-chloro-2-methyl-2H-isothiazol-3-one Acute Tox. 2 (H310, H330), Acute Tox. 3 (H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1C (H314), Skin Sens. 1A (H317) Danger	
CAS No.: 2682-20-4 EC No.: 220-239-6 Index No.: 613-326-00-9	2-methyl-2H-isothiazol-3-one Acute Tox. 2 (H330), Acute Tox. 3 (H311, H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314), Skin Sens. 1A (H317) Danger EUH071 M-factor (acute): 10 M-factor (chronic): 1 Specific concentration limit (SCL) Skin Sens. 1A; H317: C ≥ 0.0015%	

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

IF exposed or concerned: Get medical advice/attention. If unconscious but breathing normally, place in recovery position and seek medical advice.

Following inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact:

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion:

Rinse cautiously with water for several minutes. Get immediate medical advice/attention. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

IF exposed or concerned, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Jet of water spray; alcohol resistant foam; carbon dioxide (CO₂); extinguishing powder.
Class B fire extinguishers.

Unsuitable extinguishing media:

Full water jet.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 3/10

FSG-Fine spatula rapid

5.2. Special hazards arising from the substance or mixture

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.

5.3. Advice for firefighters

Use of respiratory protective equipment.

5.4. Additional information

Cool endangered containers by spraying with water.. Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Ventilate affected area. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Soak up inert absorbent and dispose as waste requiring special attention. to local disposal.

For cleaning up:

Do not use solvents or thinners.

6.4. Reference to other sections

Section 7: Handling and Storage

Section 8: Exposure Controls/Personal Protection

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Environmental precautions:

Do not allow to enter into surface water or drains.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Store in a dry place. Store in a closed container.

Requirements for storage rooms and vessels:

Protective measures: Frost. Follow the instructions for use on the label.

Hints on storage assembly:

Do not store together with: strong base Strong acid, Oxidizing agent.

Storage class (TRGS 510, Germany): 13 - Non-combustible solids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Industrial sector specific solutions:

Covering agents, water-based

GISCODE:

BSW 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 4/10

FSG-Fine spatula rapid

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
WEL (GB)	Limestone CAS No.: 1317-65-3 EC No.: 215-279-6	① 10 mg/m ³ ⑤ (inhalable fraction)
WEL (GB)	Limestone CAS No.: 1317-65-3 EC No.: 215-279-6	① 4 mg/m ³ ⑤ (respirable fraction)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	0.021 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	0.021 mg/m ³	① DNEL Consumer ② Long-term - inhalation, local effects
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	0.043 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	0.043 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	0.027 mg/kg bw/day	① DNEL worker ② Long-term - oral, systemic effects
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	0.053 mg/kg bw/day	① DNEL worker ② Acute - oral, systemic effects
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	6.81 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	1.2 mg/m ³	① DNEL Consumer ② Long-term - inhalation, systemic effects
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.966 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.345 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	3.39 µg/L	① PNEC aquatic, freshwater
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	3.39 µg/L	① PNEC aquatic, marine water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 5/10

FSG-Fine spatula rapid

Substance name	PNEC Value	① PNEC type
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	230 µg/L	① PNEC sewage treatment plant
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	0.0471 mg/kg	① PNEC soil
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	3.39 µg/L	① PNEC aquatic, intermittent release
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	4.03 µg/L	① PNEC aquatic, freshwater
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.000403 mg/L	① PNEC aquatic, marine water
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	1.03 mg/L	① PNEC sewage treatment plant
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.0499 mg/kg	① PNEC sediment, freshwater
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.00499 mg/kg	① PNEC sediment, marine water
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	3 mg/kg	① PNEC soil
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	1.1 µg/L	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide fresh air.

8.2.2. Personal protection equipment

Eye/face protection:

In splash contact: Wear eye/face protection.

Skin protection:

Use of protective gloves. Unsuitable material: NBR (Nitrile rubber).

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

8.2.3. Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid

Colour: white

Odour: characteristic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 6/10

FSG-Fine spatula rapid

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	7 - 8	20 °C	① 100,0 weight-% ② MSDS Distributor
Melting point	No data available		
Freezing point	not determined		
Initial boiling point and boiling range	33 °C		① Anhydrous ammonia ② MSDS Distributor
Decomposition temperature	No data available		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	0.8 Vol-%		① literature value ② MSDS Distributor
Vapour pressure	No data available		
Vapour density	not determined		
Density	1.91 g/cm ³	20 °C	① DIN 53217 ② MSDS Distributor
Relative density	not determined		
Bulk density	not determined		
Water solubility	partially soluble	20 °C	② MSDS Distributor
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	not determined		
Solid content	82 weight-%		② MSDS Distributor

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Exothermic reaction with: strong base, Strong acid, Oxidising agent, strong.

10.4. Conditions to avoid

Stable under recommended storage and handling conditions.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

Thermal decomposition: Carbon dioxide (CO₂), Carbon monoxide, Nitrogen oxides (NO_x).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Limestone CAS No.: 1317-65-3 EC No.: 215-279-6

LD₅₀ oral: >5,000 mg/kg (Rat)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 7/10

FSG-Fine spatula rapid

5-chloro-2-methyl-2H-isothiazol-3-one CAS No.: 26172-55-4 EC No.: 247-500-7

LD₅₀ oral: 53 mg/kg (Rat)

2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6

LD₅₀ oral: 120 - 327.7 mg/kg (Rat)

LD₅₀ dermal: 242 - 2,000 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (vapour): 0.1 - 0.422 mg/L (Rat)

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

LD₅₀ oral: 490 - 670 mg/kg (Rat)

LD₅₀ dermal: 2,000 mg/kg (Rat)

Additional information:

Repeated exposure may cause skin dryness or cracking. In splash contact Causes eye irritation.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Limestone CAS No.: 1317-65-3 EC No.: 215-279-6

LC₅₀: >10,000 mg/L 4 d (fish, Oncorhynchus mykiss (Rainbow trout))

LC₅₀: >1,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

ErC₅₀: >200 mg/L 3 d (Algae/water plant, Desmodemus subspicatus)

5-chloro-2-methyl-2H-isothiazol-3-one CAS No.: 26172-55-4 EC No.: 247-500-7

LC₅₀: 0.19 - 2.13 mg/L 4 d (fish) GESTIS

LC₅₀: 0.56 - 0.56 mg/L 2 d (crustaceans) GESTIS

LC₅₀: 0.07 - 0.3 mg/L 4 d (fish) GESTIS

EC₅₀: 0.18 - 13 mg/L 2 d (crustaceans) GESTIS

EC₅₀: 0.13 - 0.13 mg/L 3 d (Algae/water plant) GESTIS

2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6

LC₅₀: 4.77 - 6 mg/L 4 d (fish)

EC₅₀: 1.6 mg/L 2 d (crustaceans)

NOEC: 0.0442 - 0.55 mg/L 21 d (crustaceans)

LOEC: 4.2 mg/L 33 d (fish)

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

LC₅₀: 2.15 - 22 mg/L 4 d (fish)

EC₅₀: 2.9 - 2.94 mg/L 2 d (crustaceans)

EC₅₀: 70 - 150 mg/L 3 d (Algae/water plant)

12.2. Persistence and degradability

5-chloro-2-methyl-2H-isothiazol-3-one CAS No.: 26172-55-4 EC No.: 247-500-7

Biodegradation: —

2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6

Biodegradation: Yes, slowly

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Biodegradation: Yes, slowly

12.3. Bioaccumulative potential

2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6

Log K_{OW}: -0.486

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Log K_{OW}: -0.9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 8/10

FSG-Fine spatula rapid

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Limestone CAS No.: 1317-65-3 EC No.: 215-279-6
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
5-chloro-2-methyl-2H-isothiazol-3-one CAS No.: 26172-55-4 EC No.: 247-500-7
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09
----------	---

Waste code packaging

15 01 04	metallic packaging
----------	--------------------

Waste treatment options

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 9/10

FSG-Fine spatula rapid

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

* 16.1. Indication of changes

1.3.	Details of the supplier of the safety data sheet
1.4.	Emergency telephone number
8.1.	Control parameters
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.2.	Abbreviations and acronyms

* 16.2. Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
ECHA	European Chemicals Agency
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
KG	body weight
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PC	Product category
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
SCL	Specific concentration limit
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 30 May 2023

Print date: 2 Jun 2023

Version: 0.2

FSG Schäfer GmbH

Instandsetzungs-Materialien für Möbeloberflächen



Page 10/10

FSG-Fine spatula rapid

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Supplemental hazard information	
EUH071	Corrosive to the respiratory tract.

16.6. Training advice

No data available

16.7. Additional information

The information provided in this safety data sheet is correct to the best of our knowledge at the time of going to press. This information is intended to provide guidance for the safe handling, storage, processing, transport and disposal of the product mentioned in this safety data sheet. The information is not transferable to other products. If the product is mixed with other materials, mixed or processed, or subjected to processing, the data contained in this safety data sheet can not be transferred to the new material thus produced unless otherwise expressly stated otherwise.

* Data changed compared with the previous version.